

HIK VISION




لیست قیمت رسمی محصولات

مهر ماه ۹۴



سایت رسمی هایک ویژن

www.hikgold.com

نمایندگی گلد هایک ویژن

NO	Model	Image	Camera Specification	Price (Rials)
1	DS-7600NI-E1/A		Supported Cams. • 6CH Up To 8CH IP Video POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 80Mbps Output BandWidth • 80Mbps SATA Supported • 1 SATA	24,460,000
2	DS-7604NI-E1		Supported Cams. • 4CH POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 40Mbps Output BandWidth • 80Mbps SATA Supported • 1 SATA	4,760,000
3	DS-7604NI-K1		Supported Cams. • 4CH POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 40Mbps Output BandWidth • 80Mbps SATA Supported • 1 SATA	5,710,000
4	DS-7604NI-K1/4P		Supported Cams. • 4CH POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 40Mbps Output BandWidth • 80Mbps SATA Supported • 1 SATA	7,750,000
5	DS-7604NI-E1/4P		Supported Cams. • 4CH POE Channels • 4 Max. Resolution • 1080P Input BandWidth • 40Mbps Output BandWidth • 80Mbps SATA Supported • 1 SATA	7,070,000
6	DS-7608NI-E2		Supported Cams. • 6CH POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 80Mbps Output BandWidth • 80Mbps SATA Supported • 2 SATA	6,660,000
7	DS-7608NI-E2/8P		Supported Cams. • 6CH POE Channels • 8 Max. Resolution • 1080P Input BandWidth • 80Mbps Output BandWidth • 80Mbps SATA Supported • 2 SATA	11,140,000
8	DS-7608NI-K2		Supported Cams. • 2CH 4K - 8CH 1080P POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 80Mbps Output BandWidth • 160Mbps SATA Supported • 2 SATA	8,830,000

NO	Model	Image	Camera Specification	Price (Rials)
9	DS-7616NI-E2		Supported Cams. • 6CH POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 160Mbps Output BandWidth • 80Mbps SATA Supported • 2 SATA	7,340,000
10	DS-7616NI-E2/8P		Supported Cams. • 6CH POE Channels • 8 Max. Resolution • 1080P Input BandWidth • 160Mbps Output BandWidth • 80Mbps SATA Supported • 2 SATA	11,730,000
11	DS-7616NI-E2/16P		Supported Cams. • 6CH POE Channels • 16 Max. Resolution • 1080P Input BandWidth • 160Mbps Output BandWidth • 80Mbps SATA Supported • 2 SATA	15,080,000
12	DS-7616NI-K2		Supported Cams. • 2CH 4K - 8CH 1080P POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 160Mbps Output BandWidth • 160Mbps SATA Supported • 2 SATA	10,060,000
13	DS-7716NI-E4		Supported Cams. • 6CH POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 160Mbps Output BandWidth • 80Mbps SATA Supported • 4 SATA	14,400,000
14	DS-7716NI-E4/16P		Supported Cams. • 6CH POE Channels • 16 Max. Resolution • 1080P Input BandWidth • 160Mbps Output BandWidth • 80Mbps SATA Supported • 4 SATA	22,320,000
15	DS-7716NI-K4		Supported Cams. • 2CH 4K - 8CH 1080P POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 160Mbps Output BandWidth • 160Mbps SATA Supported • 4 SATA	17,800,000
16	DS-7716NI-K4/16P		Supported Cams. • 2CH 4K - 8CH 1080P POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 160Mbps Output BandWidth • 160Mbps SATA Supported • 4 SATA	25,270,000

NO	Model	Image	Camera Specification	Price (Rials)
17	DS-7732NI-E4		Supported Cams. • 6CH POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 200Mbps Output BandWidth • 80Mbps SATA Supported • 4 SATA	18,730,000
18	DS-7732NI-E4/16P		Supported Cams. • 6CH POE Channels • 16 Max. Resolution • 1080P Input BandWidth • 200Mbps Output BandWidth • 80Mbps SATA Supported • 4 SATA	26,720,000
19	DS-7732NI-K4		Supported Cams. • 2CH 4K - 8CH 1080P POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 256Mbps Output BandWidth • 160Mbps SATA Supported • 4 SATA	22,420,000
20	DS-7732NI-K4/16P		Supported Cams. • 2CH 4K - 8CH 1080P POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 256Mbps Output BandWidth • 160Mbps SATA Supported • 4 SATA	29,620,000