

HIKVISION



۲۴ ماه گارانتی



لیست قیمت رسمی محصولات

دی ماه ۹۶



سایت رسمی هایک ویژن

www.hikgold.com

نمایندگی گلد هایک ویژن

2 MP

NO	Model	Image	Camera Specification	Price (Rials)	
1	DS-2CD2020F-I		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 2MP (1920*1080) /25FPS / 30FPS • Up to 30m • Metallic IP66 • 4/6mm / F2.0 lens (6mm optional) • POE, DWDR,3D DNR, BLC 	4,960,000
2	DS-2CD2120F-I		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 2MP (1920*1080) /25FPS / 30FPS • Up to 30m • Metallic IP66 • 2.8/4/6 mm • POE, DWDR, 3D DNR,BLC 	4,960,000
3	DS-2CD2120F-IS		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 2MP (1920*1080) /25FPS / 30FPS • Up to 30m • Metallic IP66 • 2.8/4/6 mm • POE, DWDR, 3D DNR,BLC 	5,390,000
4	DS-2CD2322WD-I		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 2MP (1920*1080) /25FPS / 30FPS • Up to 30m (EXIR) • Metallic IP66 • 4mm/F2.0 lens (2.8/6/8/12mm optio • POE, WDR, 3D DNR,BLC 	7,440,000
5	DS-2CD2420F-IW		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 2MP (1920*1080) /25FPS / 30FPS • Up to 10m • Plastic • 4mm/F2.0 lens (2.8mm, 6mm option: • POE, DWDR, 3D DNR, BLC, WIFI 	5,390,000
6	DS-2CD2620F-I		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 2MP (1920*1080) /25FPS / 30FPS • Up to 30m • Metallic IP66 • 2.8~12mm VF lens • POE, DWDR, 3D DNR, BLC 	9,330,000
7	DS-2CD2620F-IZ		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 2MP (1920*1080) /2FPS / 30FPS • Up to 30m • Metallic IP66 • 2.8~12mm VF lens • POE, DWDR, 3D DNR,BLC 	11,010,000
8	DS-2CD2622FWD-IS		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/2.8" Progressive CMOS • 2MP (1920*1080) /25FPS / 30FPS • Up to 30m • Metallic IP66 • 2.8~12mm VF lens • POE, WDR, 3D DNR, BLC 	12,540,000

NO	Model	Image	Camera Specification	Price (Rials)
9	DS-2CD2720F-I		Imaging Sensor • 1/3" Progressive CMOS Resolution • 2MP (1920*1080) /25FPS / 30FPS IR Range • Up to 30m Body Type • vandal proof IP66 Lens Type • 2.8~12mm VF lens Other Feathers • POE, DWDR, 3D DNR,BLC	9,630,000
10	DS-2CD2720F-IS		Imaging Sensor • 1/3" Progressive CMOS Resolution • 2MP (1920*1080) /25FPS / 30FPS IR Range • Up to 30m Body Type • vandal proof IP66 Lens Type • 2.8~12mm VF lens Other Feathers • POE, DWDR, 3D DNR,BLC	10,130,000


4MP

11	DS-2CD2042WD-I		Imaging Sensor • 1/3" Progressive CMOS Resolution • 4MP (2688*1520) /20FPS IR Range • Up to 30m Body Type • Full Metallic IP66 Lens Type • 4mm/F2.0 lens (6mm optional) Other Feathers • POE, WDR, 3D DNR, BLC	7,000,000
12	DS-2CD2142FWD-IS		Imaging Sensor • 1/3" Progressive CMOS Resolution • 4MP (2688*1520) /20FPS IR Range • Up to 30m Body Type • Metallic IP66 (Vandal Proof) Lens Type • 4mm/F2.0 lens (2.8/6mm optional) Other Feathers • POE, DWDR, 3D DNR, BLC	7,580,000
13	DS-2CD2342WD-I		Imaging Sensor • 1/3" Progressive CMOS Resolution • 4MP (2688*1520) /20FPS IR Range • Up to 30m (EXIR) Body Type • Metallic IP66 Lens Type • 4mm/F2.0 lens (2.8/6mm optional) Other Feathers • POE,WDR, 3D DNR, BLC	8,170,000
14	DS-2CD2442FWD-IW		Imaging Sensor • 1/3" Progressive CMOS Resolution • 4MP (2688*1520) /20FPS IR Range • Up to 10m Body Type • Plastic Lens Type • 4mm/F2.0 lens (2.8/6mm optional) Other Feathers • POE, WDR, 3D DNR, BLC, WIFI	7,440,000
15	DS-2CD2542FWD-IS		Imaging Sensor • 1/3" Progressive CMOS Resolution • 4MP (2688*1520) /20FPS IR Range • Up to 10m Body Type • vandal proof IP66 Lens Type • 4mm/F2.0 lens (2.8,6mm optional) Other Feathers • POE, WDR, 3D DNR,BLC	9,770,000
16	DS-2CD2642FWD-IS		Imaging Sensor • 1/3" Progressive CMOS Resolution • 4MP (2688*1520) /20FPS IR Range • Up to 30m Body Type • Metallic IP66 Lens Type • 2.8~12mm VF lens Other Feathers • POE, WDR, 3D DNR,BLC	14,290,000


NO	Model	Image	Camera Specification	Price (Rials)
17	DS-2CD2642FWD-IZS		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 4MP (2688*1520) /20FPS • Up to 30m • Metallic IP66 • 2.8~12mm VF lens • POE, WDR, 3D DNR, BLC 16,910,000
18	DS-2CD2742FWD-IS		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 4MP (2688*1520) /20FPS • Up to 30m • vandal proof IP66 • 2.8~12mm VF lens • POE, WDR, 3D DNR, BLC 14,870,000
19	DS-2CD2742FWD-IZS		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 4MP (2688*1520) /20FPS • Up to 30m • vandal proof IP66 • 2.8~12mm VF lens • POE, WDR, 3D DNR, BLC 17,06,000
20	DS-2CD2942F-IS		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 4MP (2464*1520) /25FPS / 30FPS • Up to 10m • vandal proof IP66 • 1.6mm/F1.6 fixed lens • POE, 3D DNR 16,690,000
21	DS-2CD2T42WD-I3		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive Scan CMOS • 4MP • Up to 30m • Metallic IP67 • 4,6mm • POE, WDR, 3D DNR, BLC 7,880,000
22	DS-2CD2T42WD-I5		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 4MP (2688*1520) /25FPS / 30FPS • Up to 50m • Metallic IP66 • 4mm/F1.4 lens (6mm optional) • POE, WDR, 3D DNR, BLC 8,460,000
23	DS-2CD2T42WD-I8		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive Scan CMOS • 4MP • Up to 80m • Metallic IP67 • 6,12,16mm • POE, WDR, 3D DNR, BLC 9,210,000
5MP				
24	DS-2CD2052-I		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 5MP (2560*1920) /20FPS • Up to 30m • Full Metallic IP66 • 4mm/F2.0 lens (6mm optional) • POE, DWDR, 3D DNR, BLC 9,040,000

NO	Model	Image	Camera Specification	Price (Rials)	
25	DS-2CD2152F-IS		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 5MP (2560*1920) /20FPS • Up to 30m • Metallic IP66 (Vandal Proof) • 4mm/F2.0 lens (2.8/6mm optional) • POE, DWDR,3D DNR, BLC 	9,480,000
26	DS-2CD2352-I		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 5MP (2560*1520) /20FPS • Up to 30m (EXIR) • Metallic IP66 • 4mm/F2.0 lens (2.8/6mm optional) • POE, DWDR, 3D DNR,BLC 	9,920,000
27	DS-2CD2652F-IS		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 5MP (2560*1920) /20FPS • Up to 30m • Metallic IP66 • 2.8~12mm VF lens • POE, DWDR, 3D DNR,BLC 	17,640,000
28	DS-2CD2752F-IS		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 5MP (2560*1920) /20FPS • Up to 30m • vandal proof IP66 • 2.8~12mm VF lens • POE, DWDR, 3D DNR, BLC 	16,180,000
29	DS-2CD2752F-IZS		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 5MP (2560*1920) /20FPS • Up to 30m • vandal proof IP66 • 2.8~12mm VF lens • POE, DWDR, 3D DNR,BLC 	20,120,000
30	DS-2CD2T52-I5		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 5MP (2560*1920) /20FPS • Up to 50m • Metallic IP66 • 4mm/F1.4 lens (6mm optional) • POE, WDR, 3D DNR, BLC 	9,920,000
31	DS-2CD2F52F-IS		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/3" Progressive CMOS • 5MP (2560*1920) /20FPS • Up to 10m • Metallic IP66 • 2.8,4,6mm/F1.4 lens • POE, DWDR, 3D DNR, BLC 	11,810,000








2D,2E,2Q,2U Series









32	DS-2CD2D14WD		Imaging Sensor Resolution IR Range Body Type Lens Type Other Feathers	<ul style="list-style-type: none"> • 1/4" Progressive CMOS • 1MP (1280*720) /25FPS / 30FPS • • Plastic • 3.6mm/F1.2 lens • POE, WDR, 3D DNR,BLC 	6,050,000
----	--------------	---	--	---	-----------








NO	Model	Image	Camera Specification	Price (Rials)
33	DS-2CD2E20F-W		Imaging Sensor • 1/3" Progressive CMOS Resolution • 2MP (1920*1080) IR Range • Body Type • Lens Type • 2.8,4,6mm fixed lens Other Feathers • POE, DWDR, 3D DNR, BLC	6,830,000
34	DS-2CD2Q10FD-IW		Imaging Sensor • 1/4" Progressive CMOS Resolution • 1MP (1280*720) /25FPS / 30FPS IR Range • Up to 10m Body Type • Lens Type • 2.8,4,6mm Other Feathers • POE, DWDR, 3D DNR, BLC	6,820,000
35	DS-2CV2Q21FD-IW 32GB-T		Imaging Sensor • 1/2.8" Progressive Scan CMOS Resolution • 2.0 megapixel IR Range • Up to 5 m Body Type • WIFI, MIC, Speaker Lens Type • 2.8 mm, horizontal Other Feathers • POE, DWDR, 3D DNR	7,290,000
36	DS-2CV2U21FD-IW 32GB-T		Imaging Sensor • 1/2.8" Progressive Scan CMOS Resolution • 2.0 megapixel IR Range • Up to 5 m Body Type • WIFI, MIC, Speaker Lens Type • 2.8 mm, horizontal Other Feathers • POE, DWDR, 3D DNR, WIFI	5,840,000
PTZ				
37	DS-2DE4220IW-DE		Imaging Sensor • 1/3" Progressive CMOS Resolution • 2MP IR Range • Up to 100 m Optical Zoom • 20X Focus • 4.7-94mm Other Feathers • POE & 12VAC	25,920,000
38	DS-2DE5220IW-AE		Imaging Sensor • 1/3" Progressive CMOS Resolution • 2MP IR Range • Up to 150 m Body Type • 20X Lens Type • 4.7-94mm Other Feathers • Hi-POE & 24VAC, 3DDNR, ICR	36,630,000
39	DS-2DE5230W-AE		Imaging Sensor • 1/2.8" Progressive CMOS Resolution • 2MP IR Range • Body Type • 30X Lens Type • 4.3-129mm Other Feathers • 3DDNR, ICR	44,910,000
40	DS-2DE7220IW-AE		Imaging Sensor • 1/2.8" Progressive CMOS Resolution • 2MP IR Range • Up to 150 m Body Type • 20X Lens Type • 4.7-94mm Other Feathers • Hi-POE & 24VAC, 3DDNR, ICR	41,900,000

NO	Model	Image	Camera Specification	Price (Rials)
41	DS-2DE7230IW-AE		Imaging Sensor • 1/2.8" Progressive CMOS Resolution • 2MP IR Range • Up to 150 m Body Type • 30X Lens Type • 4.3-129mm Other Feathers • Hi-POE & 24VAC, 3DDNR, ICR	52,300,000

720P / 1080P

42	DS-7600NI-E1/A/1T		Supported Cams • Up To 8CH IP Video POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 80Mbps Output BandWidth • 80Mbps SATA Supported • 1 SATA	34,410,000
43	DS-7604NI-E1		Supported Cams • 4CH POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 40Mbps Output BandWidth • 80Mbps SATA Supported • 1 SATA	5,640,000
44	DS-7604NI-E1/4P		Supported Cams • 4CH POE Channels • 4 interface Max. Resolution • 1080P Input BandWidth • 40Mbps Output BandWidth • 80Mbps SATA Supported • 1 SATA	8,100,000
45	DS-7608NI-E2		Supported Cams • 6CH POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 80Mbps Output BandWidth • 80Mbps SATA Supported • 2 SATA	7,640,000
46	DS-7608NI-E2/8P		Supported Cams • 6CH POE Channels • 8 interface Max. Resolution • 1080P Input BandWidth • 80Mbps Output BandWidth • 80Mbps SATA Supported • 2 SATA	12,770,000
47	DS-7616NI-E2		Supported Cams • 6CH POE Channels • N/A Max. Resolution • 1080P Input BandWidth • 160Mbps Output BandWidth • 80Mbps SATA Supported • 2 SATA	8,410,000
48	DS-7616NI-E2/8P		Supported Cams • 6CH POE Channels • 8 interface Max. Resolution • 1080P Input BandWidth • 160Mbps Output BandWidth • 80Mbps SATA Supported • 2 SATA	13,390,000

NO	Model	Image	Camera Specification	Price (Rials)	
49	DS-7616NI-E2/16P		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 6CH • 16 interface • 1080P • 160Mbps • 80Mbps • 2 SATA 	17,280,000
50	DS-7604NI-K1		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 1ch 4K - 4CH 1080P • N/A • 1080P • 40Mbps • 80Mbps • 1 SATA 	6,550,000
51	DS-7604NI-K1/4P		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 1ch 4K - 4CH 1080P • 4 interface • 1080P • 40Mbps • 80Mbps • 1 SATA 	8,870,000
52	DS-7608NI-K2		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 2CH 4K - 8CH 1080P • N/A • 1080P • 80Mbps • 160Mbps • 2 SATA 	10,120,000
53	DS-7608NI-K2/8P		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 2CH 4K - 8CH 1080P • 8 interface • 1080P • 80Mbps • 160Mbps • 2 SATA 	15,410,000
54	DS-7616NI-K2		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 2CH 4K - 8CH 1080P • N/A • 1080P • 160Mbps • 160Mbps • 2 SATA 	11,520,000
55	DS-7616NI-K2/16P		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 2CH 4K - 8CH 1080P • 16 interface • 1080P • 160Mbps • 160Mbps • 2 SATA 	20,390,000
56	DS-7716NI-E4		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 6CH • N/A • 1080P • 160Mbps • 80Mbps • 4 SATA 	16,500,000

NO	Model	Image	Camera Specification	Price (Rials)	
57	DS-7716NI-E4/16P		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 6CH • 16 interface • 1080P • 160Mbps • 80Mbps • 4 SATA 	25,530,000
58	DS-7732NI-E4		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 6CH • N/A • 1080P • 160Mbps • 80Mbps • 4 SATA 	21,640,000
59	DS-7732NI-E4/16P		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 6CH • 16 interface • 1080P • 160Mbps • 80Mbps • 4 SATA 	30,510,000
60	DS-7716NI-K4		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 2CH 4K - 8CH 1080P • N/A • 1080P • 160Mbps • 160Mbps • 4 SATA 	20,390,000
61	DS-7716NI-K4/16P		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 2CH 4K - 8CH 1080P • 16 interface • 1080P • 160Mbps • 160Mbps • 4 SATA 	28,960,000
62	DS-7732NI-K4		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 2CH 4K - 8CH 1080P • N/A • 1080P • 256Mbps • 160Mbps • 4 SATA 	25,690,000
63	DS-7732NI-K4/16P		Supported Cams POE Channels Max. Resolution Input BandWidth Output BandWidth SATA Supported	<ul style="list-style-type: none"> • 2CH 4K - 8CH 1080P • 16 interface • 1080P • 256Mbps • 160Mbps • 4 SATA 	33,940,000